


EXC-YR-Z01

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN



■ EXC Patent Design Solar Wall Light Series

IP65 6~9 Hours Material: ABS 7.5~22H CE FC RoHS

EXC-YR-Z01 integrated solar wall lamps are used for garden decoration, courtyard, landscape wall, etc. It has high-brightness and long-lifespan.

■ Product Description

- Control Mode: 2 different working mode;
- With dimming function, Working time settings: 0-15hours, Power can be adjusted 0%-100% ;
- Works with low standby electric current, convenient for long-distance transportation and storage;
- IP65 protection grade, easy to cope with various harsh Environments;
- Class A Lithium battery, cycle life ≥ 1000 times ;
- High-efficiency solar panel, lifespan ≥ 25 years.

EXC-YR-Z01

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN




- Normally keep dim brightness, turn to full brightness and remain 10 seconds after people pass by.



■ Installationinstructions

Parts description



① Solar panel ② Light emitting surface ③ Contact switch ④ Mounting hole

EXC-YR-Z02

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN



Solar Power




Fault alarm



High Efficiency



Waterproof IP65



CHARGE TIME



Microwave Sensor



Warranty



Cable free installation



Easy Installation



■ EXC Patent Design Solar Wall Light Series

IP65 6~9 Hours Material: ABS 7.5~22H CE FC RoHS

EXC-YR-Z02 solar wall lights are mainly installed on the exterior walls of buildings, courtyard corridors and fences, and are used for pedestrian walkway lighting.

■ Product Description

- Control Mode: 2 different working mode;
- With dimming function, Working time settings: 0-15hours, Power can be adjusted 0%-100% ;
- Works with low standby electric current, convenient for long-distance transportation and storage;
- IP65 protection grade, easy to cope with various harsh Environments;
- Class A Lithium battery, cycle life ≥ 1000 times ;
- High-efficiency solar panel, lifespan ≥ 25 years.

EXC-YR-Z02

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN




- Normally keep dim brightness, turn to full brightness and remain 10 seconds after people pass by.




■ Installationinstructions

Parts description



- ① Solar panel
- ② Light emitting surface
- ③ Contact switch
- ④ Mounting hole




EXC-YR-Z03A

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN



Solar Power




Fault alarm



High Efficiency




Waterproof IP65



CHARGE TIME



Microwave Sensor



Warranty



Cable free installation



Easy Installation



■ EXC Patent Design Solar Wall Light Series

IP65 6~9 Hours Material: ABS 7.5~22H CE FC RoHS

EXC-YR-Z03A solar wall lights are mainly installed on the exterior walls of buildings, courtyard corridors and fences, and are used for pedestrian walkway lighting.

■ Product Description

- Control Mode: 2 different working mode;
- With dimming function, Working time settings: 0-15hours, Power can be adjusted 0%-100% ;
- Works with low standby electric current, convenient for long-distance transportation and storage;
- IP65 protection grade, easy to cope with various harsh Environments;
- Class A Lithium battery, cycle life ≥ 1000 times ;
- High-efficiency solar panel, lifespan ≥ 25 years.

EXC-YR-Z03A

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN




■ Normally keep dim brightness, turn to full brightness and remain 10 seconds after people pass by.



■ Installationinstructions

Parts description



① Flowerpot area ② Mounting hole ③ Solar panel ④ Contact switch ⑤ Light emitting surface



EXC-YR-Z03B

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN



Solar Power




Fault alarm



High Efficiency



Waterproof IP65



CHARGE TIME



Microwave Sensor




Warranty



Cable free installation



Easy Installation



■ EXC Patent Design Solar Wall Light Series

IP65 6~9 Hours Material: ABS 7.5~22H CE FC RoHS

EXC-YR-Z03B solar wall lights are mainly installed on the exterior walls of buildings, courtyard corridors and fences, and are used for pedestrian walkway lighting.

■ Product Description

- Control Mode: 2 different working mode;
- With dimming function, Working time settings: 0-15hours, Power can be adjusted 0%-100% ;
- Works with low standby electric current, convenient for long-distance transportation and storage;
- IP65 protection grade, easy to cope with various harsh Environments;
- Class A Lithium battery, cycle life ≥ 1000 times ;
- High-efficiency solar panel, lifespan ≥ 25 years.

EXC-YR-Z03B

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN




- Normally keep dim brightness, turn to full brightness and remain 10 seconds after people pass by.



■ Installationinstructions

Parts description



① Flowerpot area ② Mounting hole ③ Solar panel ④ Contact switch ⑤ Light emitting surface



EXC-YR-Z04

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN



Solar Power




Fault alarm



High Efficiency



Waterproof IP65



CHARGE TIME



Microwave Sensor



Warranty



Cable freeinstallation



Easy Installation



■ EXC Patent Design Solar Wall Light Series

IP65 6~9 Hours Material: ABS 7.5~22H CE FC RoHS

EXC-YR-Z04 solar wall lights are mainly installed on the exterior walls of buildings, courtyard corridors and fences, and are used for pedestrian walkway lighting.

■ Product Description

- Control Mode: 2 different working mode;
- With dimming function, Working time settings: 0-15hours, Power can be adjusted 0%-100% ;
- Works with low standby electric current, convenient for long-distance transportation and storage;
- IP65 protection grade, easy to cope with various harsh Environments;
- Class A Lithium battery, cycle life ≥ 1000 times ;
- High-efficiency solar panel, lifespan ≥ 25 years.

EXC-YR-Z04

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN




- Normally keep dim brightness, turn to full brightness and remain 10 seconds after people pass by.




■ Installationinstructions

Parts description



① Solar panel ② Light emitting surface ③ Contact switch ④ Mounting hole




EXC-YR-Z06

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN



Solar Power




Fault alarm



High Efficiency



Waterproof IP65



CHARGE TIME



Warranty



Cable freeinstallation



Easy Installation



■ EXC Patent Design Solar Wall Light Series

IP65 6~9 Hours Material: ABS+AL 7.5~22H CE FC RoHS

EXC-YR-Z06 Number plate Lights are mainly installed on external walls, gates, fences, and are used to display house numbers.

■ Product Description

- Working Mode: Full power at night;
- Button Function: Press the contact switch once, this light is turned on;
- Works with low standby electric current, convenient for long-distance transportation and storage;
- IP65 protection grade, easy to cope with various harsh Environments;
- Class A Lithium battery, cycle life ≥ 1000 times ;
- High-efficiency solar panel, lifespan ≥ 25 years.

EXC-YR-Z06

LED SOLAR WALL PACK LIGHT | ALL-IN-ONE DESIGN




■ The number plate that comes with the light can easily cut out the number you want.



■ **Installationinstructions**

Parts description



- ① Solar panel
- ② Light emitting surface
- ③ Switch
- ④ Mounting holes

